




DANGER

Danger of electrical shock, burns or death. Always remove all power sources before attempting any repair, service or diagnostic work. Power can be present from shore power, generator, inverter or battery. All power sources must be disabled and secured before performing any service.



CAUTION

If you lack the skills, tools or equipment to perform diagnostic or repair work leave such work to an authorized Winnebago Industries dealer or other qualified shop.



- (29K) A/C ROOF-ONE 7,000 BTU
- (259) A/C ROOF-W/THOUT
- (265) CODES/STANDARDS-CSA/CMVSS
- (120) ELECTRICAL SYSTEM 30 AMP
- (39A) EXT RECEPTACLE DPLX 120VAC
- (1B1) CODES/STANDARDS USA

- (6) WIRE LAID UP IN SIDEWALL.
- (5) LEAD SUPPLIED WITH CONVERTER.
- (4) WIRE ROUTED THRU ROOF.
- (3) WIRE ROUTED THRU SIDEWALL.
- (2) WIRE ROUTED THRU SEALED CONDUIT.
- (1) ALL OUTLETS DOWN STREAM AND INCLUDING THIS OUTLET ARE GROUND FAULT INTERRUPT PROTECTED.

NOTES:

WINNERBAGO

DRN D.DILLY	ORIG. DATE 05/22/01
DRN ELECTRICAL GROUP	ALL DIMENSIONS ARE IN MILLIMETERS
P.E. N.VLANTES	FIRST USED
W.E. B.STRICKER	02 221B
DRN G.SCHULZ	

UNSPECIFIED TOLERANCES ARE: MATERIAL:
















INOLE DIM (X.X)	±
ONE-PLACE (X.XX)	±
TWO-PLACE (X.XXX)	±
INOLE	±

THIRD ANGLE PROJECTION

DO NOT SCALE DRAWING

TITLE: WIRING DIAGRAM-BODY, 110V

SHEET 1 of 2 PART NO 139489



- 6 WITHOUT 40B
- 5 SEE WIRING INSTL-TV/VCR FOR ADDITIONAL INFORMATION.
- 4 WIRE IN ROOF.
- 3 WIRE IN SIDEWALL.
- 2 WIRE BELOW FLOOR.
- 1 ALL OUTLETS DOWN STREAM AND INCLUDING THIS OUTLET ARE GROUND FAULT INTERRUPT PROTECTED.

FIRST USED	02 221B
DO NOT SCALE DRAWING	
TITLE: WIRING DIAGRAM-BODY, 110V	
SHEET 2	PART NO 139489