


Standard Shapes Angle

Design approval is required before material can be ordered.


Capco#	Dim. A		Dim. B		Wall		Wt/Ft.	Kg/M	Remarks
	English	Metric	English	Metric	English	Metric			
94996	0.197	5.00	1.496	38.00	0.059	1.50	0.115	0.171	
75869	0.210	5.33	0.350	8.89	0.125	3.18	0.065	0.097	
9736	0.234	5.94	0.687	17.45	0.050	1.27	0.050	0.074	Ends Angled
9737	0.234	5.94	0.812	20.62	0.050	1.27	0.056	0.083	Ends Angled
9738	0.250	6.35	1.125	28.58	0.050	1.27	0.076	0.113	Ends Angled
79029	0.335	8.50	0.886	22.50	0.098	2.49	0.132	0.196	
78170	0.360	9.14	2.000	50.80	0.060	1.52	0.173	0.257	Wall Varies .080 & .060
64351	0.375	9.53	0.500	12.70	0.050	1.27	0.049	0.073	
59107	0.437	11.10	0.625	15.88	0.060	1.52	0.072	0.107	Angle Not 90 Degrees
59107	0.437	11.10	0.625	15.88	0.060	1.52	0.072	0.107	85 degrees
48597	0.468	11.89	1.069	27.15	0.070	1.78	0.123	0.183	
2860	0.500	12.70	0.500	12.70	0.062	1.57	0.069	0.103	
74686	0.500	12.70	0.560	14.22	0.130	3.30	0.145	0.216	
126949	0.500	12.70	0.750	19.05	0.059	1.50	0.084	0.125	
2782	0.500	12.70	0.875	22.23	0.062	1.57	0.086	0.128	Dim. "B" Serrated Both Sides
110847	0.500	12.70	1.000	25.40	0.050	1.27	0.086	0.128	Dim. " B " with One Notch on Inside
88856	0.500	12.70	1.500	38.10	0.062	1.57	0.144	0.214	
122320	0.500	12.70	2.188	55.58	0.078	1.98	0.241	0.359	Ends Angled
117255	0.500	12.70	2.250	57.15	0.100	2.54	0.318	0.473	
67618	0.500	12.70	3.000	76.20	0.250	6.35	0.766	1.140	Wall Varies - .250 & .188
111176	0.551	14.00	3.931	99.85	0.120	3.05	0.628	0.934	
2774	0.560	14.22	1.125	28.58	0.060	1.52	0.094	0.140	Serrated Outside
81557	0.591	15.00	0.906	23.00	0.059	1.50	0.101	0.150	
113140	0.591	15.00	1.071	27.20	0.071	1.80	0.135	0.201	
67542	0.625	15.88	1.125	28.58	0.125	3.18	0.244	0.363	
99095	0.633	16.08	0.783	19.89	0.060	1.52	0.094	0.140	
117615	0.669	17.00	0.669	17.00	0.079	2.01	0.119	0.177	
73782	0.675	17.14	1.488	37.80	0.055	1.40	0.137	0.204	
81781	0.709	18.00	1.969	50.00	0.079	2.00	0.245	0.365	
119492	0.740	18.80	0.791	20.10	0.118	3.00	0.200	0.298	Dim. "B" with V notch
122704	0.748	19.00	1.496	38.00	0.189	4.80	0.466	0.694	
109843	0.748	19.00	2.992	76.00	0.120	3.05	0.521	0.775	
2754	0.748	19.00	0.748	19.00	0.071	1.80	0.119	0.177	
77312	0.750	19.05	0.750	19.05	0.050	1.27	0.087	0.129	
91162	0.750	19.05	1.657	42.08	0.062	1.58	0.177	0.264	



Standard Shapes Angle

Design approval is required before material can be ordered.


Capco#	Dim. A		Dim. B		Wall		Wt/Ft.	Kg/M	Remarks
	English	Metric	English	Metric	English	Metric			
84852	0.752	19.10	1.250	31.75	0.062	1.57	0.140	0.209	
92943	0.787	20.00	0.787	20.00	0.118	3.00	0.207	0.308	93 degrees
103111	0.799	20.29	1.586	40.28	0.071	1.80	0.181	0.269	Serrated Outside
38885	0.800	20.32	1.300	33.02	0.080	2.03	0.192	0.286	
2777	0.820	20.83	0.820	20.83	0.070	1.78	0.121	0.180	Serrated Outside
123778	0.827	21.01	1.496	38.00	0.157	4.00	0.405	0.602	
121813	0.827	21.01	1.890	48.01	0.118	3.00	0.368	0.548	
67168	0.840	21.34	1.465	37.21	0.090	2.29	0.238	0.354	
102795	0.866	22.00	1.500	38.10	0.118	3.00	0.318	0.473	
68559	0.902	22.91	1.098	27.89	0.060	1.52	0.139	0.207	
2400	0.905	22.99	3.000	76.20	0.095	2.41	0.431	0.641	Dim "A" End Angled
120496	0.906	23.01	1.378	35.00	0.157	4.00	0.399	0.593	
76095	0.917	23.29	1.102	27.99	0.079	2.00	0.163	0.243	Angle Not 90 Degrees
67541	0.930	23.62	1.230	31.24	0.125	3.18	0.306	0.455	
86032	0.984	25.00	2.520	64.00	0.059	1.50	0.243	0.361	
2781	1.000	25.40	1.000	25.40	0.062	1.57	0.143	0.213	Angle 88 Degrees
102013	1.000	25.40	1.000	25.40	0.115	2.92	0.255	0.379	Not straight Outside 4.06 Radius- Inside 4.19 Radius
50925	1.000	25.40	1.000	25.40	0.125	3.18	0.281	0.418	
64247	1.000	25.40	1.000	25.40	0.187	4.75	0.399	0.594	
99151	1.000	25.40	1.170	29.72	0.080	2.03	0.201	0.299	
2537	1.000	25.40	1.250	31.75	0.062	1.57	0.162	0.241	
64366	1.000	25.40	1.300	33.02	0.120	3.05	0.313	0.466	
68716	1.000	25.40	1.500	38.10	0.060	1.52	0.175	0.260	
2766	1.000	25.40	1.500	38.10	0.120	3.05	0.342	0.509	
64222	1.000	25.40	1.688	42.88	0.125	3.18	0.384	0.571	
71186	1.000	25.40	1.800	45.72	0.060	1.52	0.196	0.292	
82058	1.000	25.40	1.929	49.00	0.059	1.50	0.200	0.298	
63995	1.000	25.40	2.000	50.80	0.188	4.78	0.634	0.943	
115252	1.059	26.90	1.378	35.00	0.075	1.90	0.212	0.315	
109844	1.059	26.90	1.496	38.00	0.075	1.90	0.222	0.331	
106945	1.063	27.00	1.661	42.20	0.079	2.00	0.247	0.367	
68560	1.097	27.86	1.800	45.72	0.060	1.52	0.202	0.301	76 degrees
2755	1.125	28.58	1.125	28.58	0.058	1.47	0.152	0.226	
68097	1.221	31.01	1.250	31.75	0.080	2.03	0.231	0.344	Angle 77.75 Degrees
50101	1.250	31.75	1.250	31.75	0.125	3.18	0.345	0.513	



Standard Shapes Angle

Design approval is required before material can be ordered.


Capco#	Dim. A		Dim. B		Wall		Wt/Ft.	Kg/M	Remarks
	English	Metric	English	Metric	English	Metric			
63406	1.250	31.75	1.250	31.75	0.125	3.18	0.239	0.356	
63407	1.250	31.75	1.250	31.75	0.188	4.78	0.521	0.775	
121699	1.250	31.75	1.500	38.10	0.188	4.78	0.570	0.848	
75570	1.250	31.75	1.750	44.45	0.070	1.78	0.245	0.365	
37765	1.250	31.75	1.750	44.45	0.125	3.18	0.432	0.643	Inside corner a .187 Radius
72526	1.250	31.75	2.000	50.80	0.060	1.52	0.230	0.342	
159290	1.250	31.75	2.250	57.15	0.250	6.35	0.971	1.445	
38052	1.250	31.75	4.000	101.60	0.070	1.78	0.434	0.646	
44502	1.250	31.75	4.900	124.46	0.080	2.03	0.699	1.040	Wall Varies - .080 & .100 Dim "B" End .125 Dia
77238	1.480	37.59	1.496	38.00	0.079	2.00	0.269	0.400	74 degrees
96223	1.496	38.00	1.496	38.00	0.059	1.50	0.208	0.310	
95295	1.496	38.00	1.496	38.00	0.126	3.20	0.437	0.650	
41846	1.500	38.10	1.500	38.10	0.125	3.18	0.426	0.634	76 degrees
103404	1.500	38.10	2.000	50.80	0.060	1.52	0.247	0.368	Dim. "B" with One Notch on Inside
51812	1.500	38.10	2.000	50.80	0.188	4.78	0.747	1.112	
69503	1.500	38.10	2.000	50.80	0.188	4.78	0.747	1.112	
104829	1.500	38.10	2.000	50.80	0.250	6.35	0.975	1.451	
138988	1.500	38.10	5.625	142.88	0.250	6.35	1.642	2.443	
75863	1.531	38.89	1.594	40.49	0.065	1.65	0.238	0.354	Dim "A" Has Notch & End Square-Dim "B" End Full Radius
115233	1.625	41.28	1.625	41.28	0.125	3.18	0.468	0.696	
100665	1.625	41.28	3.875	98.43	0.375	9.53	2.271	3.379	Dim "A" Serrated Outside .070 Deep
82619	1.750	44.45	1.750	44.45	0.062	1.57	0.256	0.381	Ends Square
90498	1.850	46.99	3.425	87.00	0.120	3.05	0.733	1.090	radius corner
64248	2.000	50.80	2.000	50.80	0.187	4.75	0.847	1.260	
75438	2.000	50.80	4.500	114.30	0.250	6.35	1.859	2.766	
38635	2.500	63.50	2.500	63.50	0.250	6.35	1.425	2.120	
122401	3.000	76.20	3.000	76.20	0.080	2.03	0.566	0.842	
122332	3.000	76.20	3.000	76.20	0.150	3.81	1.059	1.576	
93114	3.000	76.20	4.000	101.60	0.375	9.53	2.981	4.436	
74909	3.000	76.20	5.000	127.00	0.375	9.53	3.272	4.869	
130834	3.000	76.20	6.000	152.40	0.375	9.53	3.816	5.678	
124654	3.125	79.38	5.563	141.30	0.375	9.53	3.756	5.589	
98954	3.188	80.98	5.000	127.00	0.250	6.35	2.369	3.525	
103588	4.000	101.60	4.000	101.60	0.375	9.53	3.431	5.105	
74910	5.000	127.00	5.000	127.00	0.375	9.53	4.172	6.208	



Standard Shapes Angle

Design approval is required before material can be ordered.


Capco#	Dim. A		Dim. B		Wall		Wt/Ft.	Kg/M	Remarks
	English	Metric	English	Metric	English	Metric			
		0.00		0.00		0.00		0.000	
		0.00		0.00		0.00		0.000	



Standard Shapes Rectangle

Design approval is required before material can be ordered.


Capco#	Dim. A		Dim. B		Wall		Wt/Ft.	Kg/M	Remarks
	English	Metric	English	Metric	English	Metric			
96441	0.394	10.00	1.378	35.00	0.059	1.50	0.235	0.350	
110568	0.394	10.00	1.496	38.00	0.059	1.50	0.251	0.374	
155736	0.409	10.39	0.847	21.50	0.079	2.00	0.206	0.306	
84518	0.490	12.45	0.490	12.45		0.00	0.239	0.356	Inside Circular Hole .228 Dia.
76448	0.500	12.70	0.500	12.70	0.050	1.27	0.108	0.161	
77313	0.500	12.70	4.000	101.60	0.094	2.39	0.974	1.450	
122737	0.512	13.00	1.063	27.00	0.079	2.00	0.268	0.399	
138843	0.512	13.00	1.299	32.99	0.079	2.00	0.313	0.465	
113259	0.562	14.27	0.562	14.27	0.045	1.14	0.112	0.167	
125672	0.579	14.71	2.539	64.49	0.071	1.80	0.507	0.754	
100548	0.595	15.11	0.772	19.61	0.060	1.52	0.179	0.266	
69196	0.695	17.65	1.250	31.75	0.070	1.78	0.303	0.451	
170083	0.709	18.00	1.811	46.00	0.071	1.80	0.397	0.590	
90900	0.709	18.00	1.496	38.00	0.071	1.80	0.343	0.510	
90902	0.709	18.00	2.819	71.60	0.071	1.80	0.673	1.002	Triple Hollow
168909	0.709	18.00	2.756	70.00	0.071	1.80	0.557	0.829	
142993	0.709	18.01	1.500	38.10	0.157	3.99	0.714	1.062	4 grooves
48106	0.720	18.29	1.500	38.10	0.090	2.29	0.392	0.583	Wall Varies .090 & .070
114294	0.748	19.00	1.000	25.40	0.071	1.80	0.274	0.407	NO EXPOSED
163279	0.748	19.00	1.000	25.40	0.071	1.80	0.274	0.408	
122965	0.748	19.00	1.319	33.50	0.118	3.00	0.526	0.782	
102767	0.748	19.00	1.500	38.10	0.071	1.80	0.358	0.533	
118061	0.748	19.00	1.500	38.10	0.157	4.00	0.731	1.088	
138851	0.748	19.00	3.312	84.12	0.125	3.18	1.144	1.702	
54520	0.750	19.05	0.750	19.05	0.050	1.27	0.166	0.247	
72519	0.750	19.05	0.750	19.05	0.062	1.57	0.205	0.305	
54065	0.750	19.05	0.750	19.05	0.080	2.03	0.251	0.373	
69168	0.750	19.05	0.750	19.05	0.120	3.05	0.316	0.470	
63894	0.750	19.05	3.312	84.12	0.065	1.65	0.412	0.613	
135536	0.750	19.05	2.500	63.50	0.091	2.30	0.667	0.993	
119419	0.752	19.10	1.772	45.00	0.071	1.80	0.405	0.603	
110374	0.853	21.66	0.853	21.66	0.050	1.27	0.188	0.279	



Standard Shapes Rectangle

Design approval is required before material can be ordered.


Capco#	Dim. A		Dim. B		Wall		Wt/Ft.	Kg/M	Remarks
	English	Metric	English	Metric	English	Metric			
110375	1.000	25.40	1.000	25.40	0.050	1.27	0.215	0.320	
56404	1.000	25.40	1.000	25.40	0.065	1.65	0.280	0.416	
2552	1.000	25.40	1.000	25.40	0.066	1.68	0.296	0.440	Sharp Corners throughout
2613	1.000	25.40	1.000	25.40	0.125	3.18	0.496	0.738	Dim " B " One Ribbed
80632	1.000	25.40	1.000	25.40	0.125	3.18	0.516	0.768	
126925	1.000	25.40	1.102	28.00	0.071	1.80	0.334	0.497	
162820	1.000	25.40	1.266	32.16	0.091	2.31	0.446	0.664	
93044	1.000	25.40	1.339	34.01	0.091	2.30	0.455	0.677	
52444	1.000	25.40	1.500	38.10	0.070	1.78	0.405	0.603	Wall Varies Dim "A" One .090 with Notch
90378	1.000	25.40	1.500	38.10	0.071	1.80	0.393	0.585	
117706	1.000	25.40	1.500	38.10	0.118	3.00	0.642	0.956	
142256	1.000	25.40	1.500	38.10	0.118	3.00	0.642	0.956	Chamfer Corners
2571	1.000	25.40	1.750	44.45	0.125	3.18	0.750	1.116	
88800	1.000	25.40	2.000	50.80	0.075	1.91	0.501	0.746	
106705	1.000	25.40	2.000	50.80	0.110	2.79	0.718	1.068	
64239	1.000	25.40	2.000	50.80	0.125	3.18	0.554	0.825	
142543	1.000	25.40	2.500	63.50	0.110	2.80	0.853	1.269	
163776	1.000	25.40	3.000	76.20	0.098	2.49	0.881	1.312	CHAMF CORNERS
113868	1.102	28.00	1.575	40.00	0.059	1.50	0.363	0.540	
54237	1.125	28.58	1.625	41.28	0.125	3.18	0.738	1.098	
2517	1.149	29.18	1.149	29.18	0.062	1.57	0.320	0.476	
65067	1.200	30.48	1.200	30.48	0.125	3.18	0.645	0.960	
151035	1.212	30.78	1.212	30.78	0.125	3.18	0.644	0.958	
82005	1.250	31.75	1.250	31.75	0.125	3.18	0.675	1.004	
69959	1.250	31.75	1.500	38.10	0.070	1.78	0.438	0.652	
126218	1.250	31.75	1.858	47.19	0.250	6.35	1.565	2.329	
161776	1.265	32.13	2.539	64.49	0.118	3.00	1.541	2.293	DOUBLE HOLLOW
111953	1.300	33.02	2.300	58.42	0.100	2.54	0.785	1.168	
97584	1.310	33.27	2.750	69.85	0.125	3.18	1.115	1.659	
134814	1.339	34.00	4.000	101.60	0.125	3.18	1.518	2.259	
90166	1.339	34.01	2.683	68.15	0.071	1.80	0.649	0.966	
108094	1.341	34.06	1.341	34.06	0.091	2.30	0.537	0.799	



Standard Shapes Rectangle

Design approval is required before material can be ordered.


Capco#	Dim. A		Dim. B		Wall		Wt/Ft.	Kg/M	Remarks
	English	Metric	English	Metric	English	Metric			
119391	1.341	34.06	1.420	36.07	0.157	4.00	0.918	1.366	Dim " A " One Side Outside has 2 Notches
77272	1.398	35.50	1.398	35.50	0.079	2.00	0.483	0.719	
36243	1.437	36.50	1.937	49.20	0.125	3.18	0.925	1.376	
69500	1.437	36.50	1.937	49.20	0.125	3.18	0.925	1.376	
118375	1.467	37.26	1.467	37.26	0.110	2.79	0.716	1.065	All Sides Outside has Die Line
76093	1.496	38.00	2.008	51.00	0.118	3.00	0.927	1.379	
61479	1.500	38.10	1.500	38.10	0.070	1.78	0.472	0.702	
82616	1.500	38.10	1.500	38.10	0.094	2.39	0.618	0.919	Chamfer Corners
64240	1.500	38.10	1.500	38.10	0.125	3.18	0.825	1.228	
151511	1.500	38.10	2.000	50.80	0.125	3.18	1.501	2.233	2 walls 6.35
161179	1.500	38.10	3.000	76.20	0.098	2.50	0.796	1.185	CHAMF. CORNES
122964	1.500	38.10	3.469	88.11	0.125	3.18	1.399	2.082	Outside Corners Radius .125
36484	1.500	38.10	4.000	101.60	0.080	2.03	1.235	1.839	DOUBLE HOLLOW
77689	1.500	38.10	4.000	101.60	0.080	2.03	1.204	1.792	Double Hollow Center Wall only .060
111954	1.540	39.12	2.540	64.52	0.100	2.54	0.917	1.364	
116945	1.625	41.28	2.000	50.80	0.187	4.75	1.459	2.171	
87500	1.632	41.45	1.632	41.45	0.085	2.16	0.624	0.929	All Inside Corners Sharp
116947	1.750	44.45	1.750	44.45	0.110	2.79	0.857	1.275	All Sides Outside has Die Line
69499	1.750	44.45	2.250	57.15	0.125	3.18	1.125	1.674	
112850	1.840	46.74	2.340	59.44	0.170	4.32	1.566	2.330	
36245	1.874	47.60	2.374	60.30	0.187	4.75	1.654	2.461	
69504	1.874	47.60	2.374	60.30	0.187	4.75	1.739	2.588	
61795	1.874	47.60	2.374	60.30	0.187	4.75	2.033	3.025	Double Hollow Inside Openings .906
111955	1.885	47.88	2.875	73.03	0.163	4.14	1.729	2.573	
143193	1.929	49.00	5.866	149.00	0.125	3.17	2.261	3.365	
37027	2.000	50.80	2.000	50.80	0.125	3.18	1.125	1.674	
64241	2.000	50.80	2.000	50.80	0.125	3.18	1.125	1.674	
131133	2.000	50.80	2.000	50.80	0.125	3.18	1.297	1.930	One side with .5" x .5" Pocket
90663	2.000	50.80	2.000	50.80	0.250	6.35	1.907	2.838	
99588	2.000	50.80	2.000	50.80	0.250	6.35	2.114	3.146	
134165	2.000	50.80	2.500	63.50	0.091	2.30	0.939	1.397	
108409	2.000	50.80	3.000	76.20	0.125	3.18	1.424	2.119	



Standard Shapes Rectangle

Design approval is required before material can be ordered.

Capco#	Dim. A		Dim. B		Wall		Wt/Ft.	Kg/M	Remarks
	English	Metric	English	Metric	English	Metric			
106706	2.000	50.80	3.000	76.20	0.250	6.35	2.700	4.018	
124395	2.000	50.80	3.500	88.90	0.125	3.18	1.542	2.294	
112851	2.000	50.80	4.500	114.30	0.170	4.32	2.511	3.736	Dim " A " One Side Outside has 2 Die Lines
69498	2.000	50.80	4.500	114.30	0.187	4.75	2.749	4.091	
62614	2.000	50.80	4.500	114.30	0.235	5.97	3.401	5.061	
122140	2.000	50.80	6.000	152.40	0.250	6.35	4.500	6.696	
112671	2.062	52.37	2.562	65.07	0.125	3.18	1.300	1.934	
77540	2.313	58.75	2.313	58.75	0.125	3.18	1.313	1.954	
130832	2.438	61.93	3.000	76.20	0.250	6.35	2.919	4.343	
122402	2.500	63.50	3.000	76.20	0.250	6.35	2.592	3.857	
107903	2.500	63.50	3.500	88.90	0.065	1.65	0.922	1.372	
129093	2.500	63.50	5.000	127.00	0.250	6.35	4.127	6.141	Outside Corners Radius .266
132855	2.687	68.25	2.687	68.25	0.125	3.18	1.364	2.030	Outside Ribbed
64242	3.000	76.20	3.000	76.20	0.125	3.18	1.725	2.567	
132854	3.000	76.20	3.000	76.20	0.125	3.18	1.548	2.303	Outside Ribbed
73005	3.000	76.20	3.000	76.20	0.188	4.78	2.522	3.753	
129040	3.000	76.20	4.000	101.60	0.200	5.08	4.048	6.023	Double Hollow Inside Openings 1.2
130863	3.000	76.20	4.000	101.60	0.200	5.08	3.168	4.714	
84829	3.000	76.20	4.250	107.95	0.312	7.92	4.589	6.828	
122142	3.560	90.42	3.560	90.42	0.125	3.18	2.060	3.065	
100887	4.000	101.60	4.000	101.60	0.083	2.11	1.526	2.271	
122141	4.000	101.60	4.000	101.60	0.188	4.78	3.430	5.104	
		0.00		0.00		0.00		0.000	
		0.00		0.00		0.00		0.000	
		0.00		0.00		0.00		0.000	
		0.00		0.00		0.00		0.000	
		0.00		0.00		0.00		0.000	




Standard Shapes

U-Channel

Design approval is required before material can be ordered.

Capco#	Dim. A		Dim. C		Dim. B		Wall		Wt/Ft.	Kg/M	Remarks
	English	Metric	English	Metric	English	Metric	English	Metric			
54623	0.358	9.09	0.234	5.94	0.812	20.62	0.062	1.575	0.138	0.205	
94330	0.433	11.00	0.315	8.00	1.181	30.00	0.059	1.500	0.190	0.282	
48617	0.440	11.18	0.320	8.13	0.120	3.05	0.060	1.524	0.040	0.060	Bottom Wall .120
64352	0.440	11.18	0.340	8.64	0.440	11.18	0.050	1.270	0.073	0.109	
62755	0.440	11.18	0.320	8.13	0.500	12.70	0.060	1.524	0.095	0.141	
54012	0.500	12.70	0.250	6.35	0.375	9.53	0.125	3.175	0.150	0.223	
117105	0.500	12.70	0.343	8.70	0.752	19.10	0.079	2.000	0.174	0.259	
96819	0.505	12.83	0.395	10.03	0.370	9.40	0.055	1.400	0.075	0.112	
139079	0.512	13.00	0.418	10.60	1.181	30.00	0.047	1.200	0.161	0.240	
67315	0.625	15.88	0.525	13.34	0.750	19.05	0.050	1.270	0.122	0.181	
108641	0.630	16.00	0.512	13.00	0.433	11.00	0.059	1.500	0.097	0.144	
63758	0.650	16.51	0.530	13.46	0.465	11.81	0.060	1.524	0.104	0.155	
48107	0.720	18.29	0.580	14.73	0.750	19.05	0.070	1.778	0.168	0.250	.062 Radius Corners
102381	0.749	19.02	0.625	15.88	1.162	29.51	0.062	1.575	0.219	0.326	
69904	0.760	19.30	0.660	16.76	1.250	31.75	0.050	1.270	0.189	0.281	
77561	0.787	19.99	0.687	17.45	0.500	12.70	0.050	1.270	0.101	0.150	Full Radius Legs
100666	0.792	20.12	0.712	18.08	0.870	22.10	0.040	1.016	0.118	0.176	
38471	0.854	21.69	0.724	18.39	0.425	10.80	0.050	1.270	0.093	0.138	one leg 2 deg.
61134	0.931	23.65	0.787	19.99	0.869	22.07	0.072	1.829	0.209	0.311	Bottom Wall is .062
118480	0.967	24.56	0.827	21.00	0.787	20.00	0.070	1.780	0.202	0.301	
2401	0.980	24.89	0.790	20.07	0.875	22.22	0.095	2.413	0.289	0.430	
69903	1.000	25.40	0.750	19.05	0.312	7.92	0.125	3.175	0.156	0.232	Bottom Wall .070
49823	1.000	25.40	0.860	21.84	0.750	19.05	0.070	1.778	0.191	0.284	.062 Radius Corners
115711	1.000	25.40	0.750	19.05	1.000	25.40	0.125	3.175	0.412	0.613	
57921	1.015	25.78	0.875	22.23	0.820	20.83	0.090	2.286	0.211	0.314	
160704	1.030	26.16	0.780	19.81	0.875	22.23	0.125	3.175	0.379	0.564	
66047	1.062	26.97	0.938	23.83	1.312	33.32	0.062	1.575	0.300	0.446	other leg 1.812"
99758	1.063	27.00	0.748	19.00	0.512	13.00	0.157	4.000	0.335	0.498	
2796	1.080	27.43	0.940	23.88	0.750	19.05	0.070	1.778	0.212	0.315	Serrated Outside Legs
122612	1.085	27.56	0.945	24.00	0.857	21.78	0.070	1.780	0.224	0.333	
43486	1.090	27.69	0.940	23.88	0.750	19.05	0.070	1.778	0.207	0.308	serration one leg
113971	1.122	28.50	1.020	25.90	0.809	20.55	0.051	1.300	0.161	0.239	
59845	1.125	28.58	0.975	24.77	0.750	19.05	0.075	1.905	0.217	0.323	Serrated Outside One Leg
157894	1.159	29.46	1.002	25.46	0.750	19.05	0.079	2.000	0.237	0.353	
2365	1.160	29.46	1.050	26.67	0.750	19.05	0.055	1.397	0.167	0.249	Ends 30 Degree
53467	1.160	29.46	1.000	25.40	0.820	20.83	0.080	2.032	0.236	0.351	Walls Uneven Legs "A" .07 "B" .08
103364	1.184	30.07	1.014	25.76	1.190	30.23	0.085	2.159	0.345	0.513	
62581	1.203	30.56	1.103	28.02	1.500	38.10	0.050	1.270	0.246	0.366	
102380	1.208	30.68	1.028	26.11	1.190	30.23	0.090	2.286	0.368	0.548	
45769	1.210	30.73	0.750	19.05	0.385	9.78	0.230	5.842	0.325	0.484	Bottom Wall .125
108549	1.213	30.80	1.102	28.00	0.750	19.05	0.055	1.400	0.171	0.255	Notch Inside Center Bottom
72534	1.213	30.81	1.025	26.04	1.094	27.79	0.094	2.388	0.370	0.551	
69464	1.218	30.94	0.813	20.65	1.187	30.15	0.218	5.537	0.733	1.091	Bottom & One side Wall .187
39937	1.220	30.99	1.094	27.79	1.250	31.75	0.063	1.600	0.270	0.402	
72566	1.250	31.75	1.000	25.40	1.250	31.75	0.125	3.175	0.517	0.769	
68660	1.274	32.36	1.150	29.21	0.600	15.24	0.062	1.575	0.175	0.260	
34223	1.274	32.36	1.150	29.21	1.000	25.40	0.062	1.575	0.234	0.348	
134990	1.320	33.53	1.200	30.48	0.654	16.61	0.060	1.520	0.160	0.238	Serrated Outside Legs




Standard Shapes

U-Channel

Design approval is required before material can be ordered.

Capco#	Dim. A		Dim. C		Dim. B		Wall		Wt/Ft.	Kg/M	Remarks
	English	Metric	English	Metric	English	Metric	English	Metric			
53263	1.340	34.04	1.200	30.48	0.620	15.75	0.070	1.778	0.202	0.301	Legs Uneven .62 & .44 Btm Inside Wall Uneven
154232	1.359	34.52	1.259	32.00	1.500	38.10	0.050	1.270	0.256	0.381	
39936	1.406	35.71	1.280	32.51	1.313	33.35	0.063	1.600	0.293	0.436	
83865	1.417	36.00	1.260	32.00	0.512	13.00	0.079	2.000	0.204	0.304	
92700	1.437	36.50	1.280	32.50	1.260	32.00	0.079	2.000	0.360	0.535	Full Radius on Ends
92700	1.437	36.50	1.279	32.49	1.260	32.00	0.078	2.000	0.359	0.534	
165228	1.457	37.01	1.300	33.00	0.827	21.01	0.079	2.007	0.279	0.415	
96080	1.496	38.00	1.244	31.60		0.00	0.126	3.200	0.564	0.839	legs 25,38
84524	1.500	38.10	1.250	31.75	1.000	25.40	0.125	3.175	0.487	0.725	
164925	1.550	39.37	1.300	33.00	0.750	19.05	0.125	3.175	0.414	0.616	
102766	1.555	39.50	1.358	34.50	0.827	21.00	0.098	2.500	0.356	0.529	
107873	1.663	42.23	1.505	38.23	0.748	19.00	0.079	2.000	0.278	0.414	
53731	1.692	42.98	1.562	39.67	1.127	28.63	0.065	1.651	0.297	0.442	
99622	1.732	44.00	1.535	39.00	1.079	27.40	0.098	2.500	0.436	0.649	
69905	1.738	44.15	1.638	41.61	0.737	18.72	0.050	1.270	0.175	0.260	Legs Offset .737" & .550"
51811	1.750	44.45	1.500	38.10	1.750	44.45	0.125	3.175	0.750	1.116	
87835	1.756	44.60	1.614	41.00	0.827	21.00	0.071	1.800	0.251	0.373	Serrated All Outside
96711	1.772	45.00	1.535	39.00		0.00	0.118	3.000	0.737	1.096	legs 28.1,68.6
111051	1.783	45.30	1.654	42.00	0.515	13.08	0.065	1.650	0.208	0.310	
98072	1.794	45.56	1.654	42.00	0.779	19.78	0.070	1.778	0.247	0.368	OTHER B=13.78 MM
86180	1.795	45.60	1.654	42.00	0.827	21.00	0.071	1.800	0.251	0.373	Serrated All Outside
116800	1.795	45.60	1.654	42.00	0.828	21.02	0.071	1.800	0.281	0.418	
142546	1.829	46.46	1.687	42.86	1.519	38.58	0.071	1.800	0.396	0.589	
160647	1.834	46.60	1.693	43.00	0.779	19.80	0.071	1.800	0.273	0.407	
96216	1.890	48.01	1.750	44.45	0.787	20.00	0.070	1.778	0.277	0.412	
2776	1.890	48.01	1.750	44.45	0.820	20.83	0.070	1.778	0.262	0.390	Serrated Outside
119395	1.921	48.80	1.685	42.80	1.481	37.61	0.118	3.000	0.645	0.960	
2779	1.930	49.02	1.750	44.45	0.840	21.34	0.090	2.286	0.346	0.515	Ribbed Outside
105884	2.000	50.80	1.876	47.65	0.500	12.70	0.062	1.575	0.214	0.318	
64238	2.000	50.80	1.500	38.10	1.000	25.40	0.250	6.350	1.026	1.527	
103372	2.018	51.26	1.874	47.60	1.350	34.29	0.072	1.829	0.383	0.570	
103399	2.160	54.86	2.000	50.80	0.455	11.56	0.080	2.032	0.267	0.397	Legs Offset .455" & .375"
2797	2.305	58.55	2.125	53.98	0.840	21.34	0.090	2.286	0.382	0.568	Ribbed Outside
73959	2.350	59.69	2.133	54.18	3.000	76.20	0.125	3.175	1.214	1.806	Open End Edge to Edge 2.383
56200	2.380	60.45	2.004	50.89	1.500	38.10	0.188	4.780	1.129	1.680	
96081	2.382	60.50	2.004	50.90		0.00	0.189	4.800	1.287	1.915	legs 38.1,55
75881	2.414	61.32	2.040	51.82	5.937	150.80	0.187	4.750	3.141	4.674	
59624	2.438	61.93	2.188	55.58	1.375	34.93	0.125	3.175	0.741	1.103	
75880	2.499	63.47	2.125	53.98	3.687	93.65	0.187	4.750	2.131	3.171	
95675	2.500	63.50	2.106	53.49	1.968	50.00	0.197	5.000	1.428	2.125	
139073	2.630	66.80	2.430	61.72	1.378	35.00	0.100	2.54	0.601	0.894	
95687	2.750	69.85	2.500	63.50	1.375	34.93	0.125	3.175	0.788	1.173	
74735	2.750	69.85	2.500	63.50	2.000	50.80	0.125	3.175	0.967	1.439	Center Notch Inside Bottom
68706	2.764	70.21	2.390	60.71	2.375	60.33	0.187	4.750	1.424	2.119	
38071	2.874	73.00	2.500	63.50	2.375	60.33	0.187	4.750	1.441	2.144	
97447	2.992	76.00	2.740	69.60	1.000	25.40	0.126	3.200	0.697	1.037	
140643	3.000	76.20	2.750	69.85	0.563	14.30	0.125	3.18	0.565	0.841	
95109	3.000	76.20	2.748	69.80	1.000	25.40	0.126	3.200	0.719	1.070	




Standard Shapes

U-Channel

Design approval is required before material can be ordered.


Capco#	Dim. A		Dim. C		Dim. B		Wall		Wt/Ft.	Kg/M	Remarks
	English	Metric	English	Metric	English	Metric	English	Metric			
37853	3.000	76.20	2.500	63.50	1.500	38.10	0.250	6.350	1.650	2.455	
69493	3.000	76.20	2.500	63.50	1.500	38.10	0.250	6.350	1.650	2.455	
123946	3.000	76.20	2.500	63.50	1.750	44.45	0.250	6.35	1.703	2.534	Corners .5 Radius
103370	3.018	76.66	2.858	72.59	0.705	17.91	0.080	2.032	0.395	0.588	
133819	3.347	85.00	*	#VALUE!	1.000	25.40	0.126	3.200	0.716	1.065	see print
53783	3.499	88.87	3.219	81.76	1.000	25.40	0.140	3.556	0.798	1.187	Walls Uneven Legs "A" .125 "B" .140
53782	3.500	88.90	3.220	81.79	1.250	31.75	0.140	3.556	0.906	1.348	Bottom Wall .125
68095	3.500	88.90	3.250	82.55	1.500	38.10	0.125	3.175	0.848	1.262	.5 Radius Corners
123947	3.500	88.90	3.000	76.20	3.250	82.55	0.250	6.35	2.814	4.187	
64843	3.848	97.74	3.688	93.68	0.746	18.95	0.080	2.032	0.497	0.740	Bottom Wall is .061
122407	3.875	98.43	3.625	92.08	1.625	41.28	0.125	3.175	1.026	1.527	
124341	4.000	101.60	3.500	88.90	4.500	114.30	0.250	6.350	3.750	5.580	
122952	4.063	103.20	3.563	90.50	1.813	46.05	0.250	6.350	2.156	3.208	
122426	4.485	113.92	4.125	104.78	2.280	57.91	0.180	4.572	1.818	2.705	
65777	4.500	114.30	3.750	95.25	3.250	82.55	0.375	9.525	4.679	6.962	
75879	4.994	126.85	4.620	117.35	2.307	58.60	0.187	4.750	2.072	3.083	
2830	5.000	127.00	4.860	123.44	1.000	25.40	0.070	1.778	0.576	0.857	
142416	6.000	152.40	5.500	139.70	0.750	19.05	0.250	6.350	2.099	3.123	
103371	6.990	177.55	6.830	173.48	1.000	25.40	0.080	2.032	0.835	1.242	
129096	8.000	203.20	7.500	190.50	2.000	50.80	0.250	6.35	3.410	5.074	
83723	8.000	203.20	7.250	184.15	2.500	63.50	0.375	9.525	5.102	7.592	
		0.00		0.00		0.00		0.000		0.000	
		0.00		0.00		0.00		0.000		0.000	



Standard Shapes Strap

Design approval is required before material can be ordered.


Capco#	Dim. A		Dim. B		Dim. C		Wt/Ft.	Kg/M	Remarks
	English	Metric	English	Metric	English	Metric			
74363	0.250	6.35	0.188	4.78	0.015	0.38	0.056	0.083	
61427	0.312	7.92	0.094	2.39	0.015	0.38	0.035	0.052	
76427	0.375	9.53	0.150	3.81	0.015	0.38	0.067	0.100	
63759	0.380	9.65	0.080	2.03	0.015	0.38	0.036	0.054	
162392	0.433	11.00	0.187	4.75	0.030	0.75	0.096	0.143	
37661	0.438	11.13	0.438	11.13	0.015	0.38	0.230	0.342	
2900	0.450	11.43	0.080	2.03	0.010	0.25	0.043	0.064	
34656	0.500	12.70	0.125	3.17	0.010	0.25	0.075	0.112	
2373	0.562	14.27	0.125	3.18	0.015	0.38	0.084	0.125	
103357	0.583	14.80	0.250	6.35	0.016	0.40	0.175	0.260	
88860	0.585	14.87	0.062	1.57	Full Radius		0.042	0.063	
101078	0.617	15.68	0.368	9.34	0.020	0.50	0.272	0.405	
2374	0.625	15.88	0.226	5.74	0.015	0.38	0.169	0.252	
74364	0.625	15.88	0.250	6.35	0.015	0.38	0.187	0.278	
2716	0.750	19.05	0.125	3.18	0.031	0.79	0.127	0.189	
82034	0.750	19.05	0.188	4.78	0.078	1.98	0.163	0.243	
2719	0.750	19.05	0.250	6.35	0.031	0.79	0.224	0.333	
66014	0.750	19.05	0.250	6.35	0.015	0.38	0.225	0.335	
59346	0.750	19.05	0.312	7.92	0.015	0.38	0.281	0.418	
88296	0.787	20.00	0.079	2.00	Full Radius		0.073	0.108	
103687	0.875	22.23	0.055	1.40	Full Radius		0.057	0.085	
75727	0.940	23.88	0.600	15.24	0.015	0.38	0.677	1.007	
67540	1.000	25.40	0.125	3.18	Full Radius		0.146	0.217	
69529	1.000	25.40	0.188	4.78	0.015	0.38	0.225	0.335	
112259	1.000	25.40	0.227	5.77	0.062	1.57	0.269	0.400	
100885	1.015	25.78	0.050	1.27	0.015	0.38	0.061	0.091	
92919	1.024	26.00	0.079	2.00	0.039	1.00	0.095	0.142	
118549	1.181	30.00	0.177	4.50	0.059	1.50	0.248	0.369	
110031	1.186	30.12	0.055	1.40	Full Radius		0.078	0.116	
2799	1.250	31.75	0.125	3.18	0.015	0.38	0.187	0.278	
84531	1.250	31.75	0.375	9.53	0.032	0.81	0.561	0.835	
2398	1.281	32.54	0.078	1.98	Full Radius		0.118	0.176	
2831	1.500	38.10	0.100	2.54	0.015	0.38	0.180	0.268	
2597	1.500	38.10	0.187	4.75	0.015	0.38	0.336	0.500	
103401	1.500	38.10	0.250	6.35	0.010	0.25	0.450	0.670	



Standard Shapes Strap

Design approval is required before material can be ordered.

Capco#	Dim. A		Dim. B		Dim. C		Wt/Ft.	Kg/M	Remarks
	English	Metric	English	Metric	English	Metric			
124651	1.750	44.45	0.625	15.88	0.015	0.38	1.311	1.95	
153654	1.800	45.72	0.250	6.35	0.010	0.25	0.538	0.801	
64250	2.000	50.79	0.187	4.75	0.015	0.38	0.449	0.668	
122163	2.000	50.80	0.125	3.18	0.016	0.41	0.299	0.445	
50461	2.000	50.80	0.250	6.35	0.010	0.25	0.600	0.893	
97396	2.000	50.80	0.374	9.50	0.031	0.80	0.897	1.335	
95968	2.000	50.80	0.500	12.70	0.010	0.25	1.200	1.79	
35648	2.250	57.15	0.062	1.57	0.010	0.25	0.167	0.248	
2598	2.500	63.50	0.125	3.18	0.015	0.38	0.375	0.558	
50244	2.500	63.50	0.250	6.35	0.015	0.38	0.750	1.116	
2897	2.750	69.85	0.500	12.70	0.010	0.25	1.650	2.455	
156973	2.755	69.98	0.250	6.35	0.015	0.38	0.827	1.231	
2808	3.000	76.20	0.125	3.18	0.015	0.38	0.450	0.670	
64249	3.000	76.20	0.187	4.75	0.015	0.38	0.673	1.001	
137504	3.000	76.20	0.500	12.70	0.031	0.79	1.799	2.677	
94997	3.500	88.90	0.125	3.18	0.010	0.25	0.526	0.783	
126217	3.500	88.90	0.375	9.53	0.016	0.41	1.574	2.34	
93543	3.576	90.84	0.079	2.00	Full Radius		0.337	0.501	
67444	3.750	95.25	0.250	6.35	0.015	0.38	1.125	1.674	
77221	3.937	100.00	0.150	3.81	0.020	0.50	0.705	1.049	
83631	4.000	101.60	0.063	1.60	0.016	0.41	0.297	0.442	
36469	4.000	101.60	0.125	3.18	0.010	0.25	0.600	0.893	
125685	4.000	101.60	0.500	12.70	0.010	0.25	2.400	3.571	
111734	4.500	114.30	0.250	6.35	0.125	3.18	1.334	1.985	
83725	5.000	127.00	0.120	3.05	Full Radius		0.716	1.065	
103400	5.000	127.00	0.250	6.35	0.010	0.25	1.500	2.232	
124650	5.000	127.00	0.625	15.88	0.015	0.38	3.750	5.58	
67205	5.250	133.35	0.125	3.18	0.015	0.38	0.788	1.173	
36491	5.500	139.70	0.188	4.78	0.010	0.25	1.241	1.847	
37426	5.750	146.05	0.250	6.35	0.010	0.25	1.725	2.567	
69502	5.750	146.05	0.250	6.35	0.010	0.25	1.725	2.567	
2865	6.000	152.40	0.250	6.35	0.010	0.25	1.800	2.678	
77308	6.000	152.40	0.375	9.53	0.010	0.25	2.700	4.018	
130450	7.500	190.50	0.375	9.53	0.016	0.41	3.372	5.02	
127993	8.000	203.20	0.340	8.64	0.016	0.41	3.263	4.86	



Standard Shapes Strap

Design approval is required before material can be ordered.


Capco#	Dim. A		Dim. B		Dim. C		Wt/Ft.	Kg/M	Remarks
	English	Metric	English	Metric	English	Metric			
142417	8.000	203.20	0.750	19.05	0.010	0.25	7.199	10.712	
67206	8.500	215.90	0.100	2.54	0.015	0.38	1.020	1.518	
64251	8.500	215.90	0.187	4.75	Full Radius		1.898	2.824	
64583	9.000	228.60	0.125	3.18	0.015	0.38	1.350	2.009	
73989	9.000	228.60	0.250	6.35	0.015	0.38	2.700	4.018	
130451	9.000	228.60	0.375	9.53	0.016	0.41	4.049	6.02	
128632	11.250	285.75	0.340	8.64	0.010	0.25	4.590	6.83	
130452	11.500	292.10	0.375	9.53	0.016	0.41	5.174	7.70	
		0.00		0.00		0.00		0.00	
		0.00		0.00		0.00		0.00	
		0.00		0.00		0.00		0.00	
		0.00		0.00		0.00		0.00	
		0.00		0.00		0.00		0.00	



Standard Shapes Rods

Design approval is required before material can be ordered.

Capco#	Dim. A		Wt/Ft.	Kg/M	Remarks
	English	Metric			
68834	0.198	5.03	0.037	0.055	
2372	0.281	7.14	0.074	0.110	
114438	0.300	7.62	0.085	0.126	
37589	0.312	7.92	0.062	0.092	
66259	0.375	9.53	0.133	0.198	
64246	0.500	12.70	0.236	0.351	
37663	0.625	15.88	0.368	0.548	
83294	0.845	21.46	0.673	1.001	
71598	1.000	25.40	0.942	1.402	




Outside Dia.

Standard Shapes Round Tubes

Design approval is required before material can be ordered.

Capco#	Dim. A - O.D.		Wall		Wt/Ft.	Kg/M	I.D.		Remarks
	English	Metric	English	Metric			English	Metric	
35309	0.500	12.70	0.070	1.78	0.113	0.168	0.360	9.14	
98842	0.500	12.70	0.112	2.85	0.164	0.244	0.276	7.00	
106046	0.500	12.70	0.141	3.57	0.191	0.284	0.219	5.56	
111952	0.555	14.10	0.080	2.03	0.143	0.213	0.395	10.03	
115571	0.625	15.88	0.065	1.65	0.137	0.204	0.495	12.57	
84316	0.625	15.88	0.149	3.77	0.255	0.379	0.328	8.33	
138144	0.690	17.53	0.095	2.41	0.213	0.317	0.500	12.70	
2470	0.730	18.54	0.049	1.24	0.126	0.187	0.632	16.05	
115706	0.745	18.92	0.049	1.24	0.129	0.192	0.647	16.43	
73002	0.750	19.05	0.065	1.65	0.168	0.250	0.620	15.75	
77297	0.750	19.05	0.120	3.05	0.285	0.424	0.510	12.95	
83891	0.811	20.60	0.079	2.00	0.218	0.324	0.654	16.60	
83535	0.811	20.60	0.126	3.20	0.326	0.485	0.559	14.20	
130388	0.840	21.34	0.065	1.65	0.189	0.281	0.710	18.03	
80624	0.840	21.34	0.109	2.77	0.300	0.446	0.622	15.80	
111951	0.854	21.69	0.100	2.54	0.284	0.423	0.654	16.61	
2471	0.875	22.23	0.049	1.24	0.153	0.228	0.777	19.74	
40358	0.875	22.23	0.120	3.05	0.342	0.509	0.635	16.13	
80604	0.892	22.66	0.075	1.91	0.241	0.359	0.742	18.85	Ribbed on Outside .932 Dia
88816	0.900	22.86	0.193	4.90	0.513	0.763	0.515	13.08	
111828	0.920	23.37	0.120	3.05	0.362	0.539	0.680	17.27	
2472	1.000	25.40	0.049	1.24	0.176	0.262	0.902	22.91	
113938	1.000	25.40	0.058	1.47	0.206	0.307	0.884	22.45	
87594	1.000	25.40	0.063	1.60	0.223	0.332	0.874	22.20	
127846	1.000	25.40	0.063	1.60	0.222	0.330	0.874	22.20	
2551	1.000	25.40	0.065	1.65	0.229	0.341	0.870	22.10	See print for tolerances
77298	1.000	25.40	0.120	3.05	0.398	0.592	0.760	19.30	
111829	1.000	25.40	0.125	3.18	0.412	0.613	0.750	19.05	
76431	1.125	28.58	0.050	1.27	0.205	0.305	1.025	26.04	
79525	1.125	28.58	0.125	3.18	0.471	0.701	0.875	22.23	
132497	1.250	31.75	0.060	1.52	0.269	0.400	1.130	28.70	
77299	1.250	31.75	0.120	3.05	0.511	0.760	1.010	25.65	
77300	1.500	38.10	0.120	3.05	0.624	0.929	1.260	32.00	
75088	1.500	38.10	0.525	13.34	1.930	2.872	0.450	11.43	




Outside Dia.

Standard Shapes Round Tubes

Design approval is required before material can be ordered.

Capco#	Dim. A - O.D.		Wall		Wt/Ft.	Kg/M	I.D.		Remarks
	English	Metric	English	Metric			English	Metric	
111729	1.625	41.28	0.050	1.27	0.297	0.442	1.525	38.74	
2595	1.650	41.91	0.125	3.18	0.719	1.070	1.400	35.56	
64245	1.687	42.85	0.200	5.08	1.121	1.668	1.287	32.69	
37662	1.750	44.45	0.083	2.11	0.522	0.777	1.584	40.23	
77301	1.750	44.45	0.120	3.05	0.737	1.097	1.510	38.35	
88851	2.000	50.80	0.070	1.78	0.509	0.757	1.860	47.24	
77302	2.000	50.80	0.120	3.05	0.850	1.265	1.760	44.70	
82783	2.138	54.30	0.098	2.50	0.757	1.127	1.941	49.30	
40403	2.250	57.15	0.083	2.11	0.678	1.009	2.084	52.93	
77303	2.250	57.15	0.120	3.05	0.964	1.434	2.010	51.05	
72977	2.375	60.33	0.125	3.18	1.060	1.577	2.125	53.98	no die...
117214	2.500	63.50	0.050	1.27	0.462	0.687	2.400	60.96	
40236	2.500	63.50	0.098	2.49	0.883	1.314	2.304	58.52	
67723	2.500	63.50	0.100	2.54	0.905	1.347	2.300	58.42	
107682	2.500	63.50	0.100	2.54	0.905	1.347	2.300	58.42	
77304	2.500	63.50	0.120	3.05	1.077	1.603	2.260	57.40	
35608	2.500	63.50	0.125	3.18	1.119	1.665	2.250	57.15	
64243	2.687	68.25	0.200	5.08	1.875	2.790	2.287	58.09	
77305	2.750	69.85	0.120	3.05	1.187	1.766	2.510	63.75	
126219	2.750	69.85	0.150	3.81	1.470	2.187	2.450	62.23	
49399	3.000	76.20	0.097	2.46	1.067	1.588	2.805	71.25	
107681	3.000	76.20	0.100	2.54	1.093	1.626	2.800	71.12	
77306	3.000	76.20	0.120	3.05	1.303	1.939	2.760	70.10	
2672	3.000	76.20	0.125	3.18	1.355	2.016	2.750	69.85	
82042	3.000	76.20	0.187	4.75	1.983	2.951	2.626	66.70	
68701	3.250	82.55	0.375	9.53	4.064	6.047	2.500	63.50	
77307	4.000	101.60	0.245	6.22	3.468	5.160	3.510	89.15	
67624	4.980	126.49	0.125	3.18	2.304	3.428	4.730	120.14	Four ribs inside .060
63234	5.000	127.00	0.125	3.18	2.297	3.418	4.750	120.65	
80626	5.250	133.35	0.125	3.18	2.415	3.594	5.000	127.00	
		0.00		0.00		0.000		0.00	
		0.00		0.00		0.000		0.00	
		0.00		0.00		0.000		0.00	
		0.00		0.00		0.000		0.00	




Outside Dia.

Standard Shapes

Round Tubes

Design approval is required before material can be ordered.


Capco#	Dim. A - O.D.		Wall		Wt/Ft.	Kg/M	I.D.		Remarks
	English	Metric	English	Metric			English	Metric	
		0.00		0.00		0.000	⋮	0.00	



Standard Shapes Z-Bar

Design approval is required before material can be ordered.


Capco#	Dim. A		Dim. B		Dim. C		Wall		Wt/Ft.	Kg/M	Remarks
	English	Metric	English	Metric	English	Metric	English	Metric			
101288	0.146	3.71	0.737	18.72	0.426	10.82	0.058	1.47	0.058	0.087	Legs Uneven 0.426 & 0.371
119397	0.146	3.71	0.945	24.00	0.748	19.00	0.079	2.00	0.094	0.140	Legs Uneven 0.748 & 0.276 Ends 1.0 Radius
59108	0.160	4.06	1.440	36.58	0.750	19.05	0.060	1.52	0.109	0.162	
37732	0.175	4.45	1.250	31.75	0.675	17.15	0.125	3.18	0.079	0.118	
165635	0.236	6.00	1.968	50.00	1.339	34.00	0.059	1.50	0.189	0.282	SEE PRINT
167285	0.256	6.50	1.653	42.00	1.181	30.00	0.059	1.50	0.175	0.260	
114508	0.259	6.57	1.358	34.49	0.719	18.26	0.079	2.00	0.145	0.216	
102301	0.296	7.52	1.181	30.00	0.394	10.02	0.060	1.52	0.010	0.015	Legs Uneven 0.846 & 0.394
100491	0.296	7.52	1.287	32.70	0.560	14.22	0.060	1.52	0.109	0.162	Legs Uneven 0.728 & 0.560
110028	0.346	8.79	1.625	41.28	1.000	25.40	0.048	1.22	0.111	0.165	Legs Uneven 1.0 & 0.673
121128	0.354	9.00	1.420	36.07	0.845	21.46	0.079	2.00	0.163	0.242	Legs Uneven 0.845 & 0.658
96456	0.420	10.66	1.715	43.57	0.849	21.57	0.118	3.00	0.271	0.403	Legs Uneven 0.866 & 0.849 See print Groove
45770	0.422	10.72	1.358	34.49	0.719	18.26	0.080	2.03	0.110	0.163	
78892	0.460	11.68	1.150	29.21	0.460	11.68	0.060	1.52	0.112	0.167	Legs Uneven 0.46 & 0.75
107932	0.539	13.68	1.417	36.00	0.748	19.00	0.079	2.00	0.177	0.264	
64340	0.602	15.29	1.358	34.49	0.719	18.26	0.080	2.03	0.176	0.262	
157384	0.689	17.50	1.811	46.00	1.142	29.00	0.079	2.01	0.228	0.339	
93517	0.693	17.60	0.906	23.01	0.591	15.00	0.079	2.00	0.143	0.213	Legs Uneven 0.591 & 0.315
82803	0.758	19.25	1.610	40.89	0.845	21.46	0.080	2.03	0.219	0.326	Legs Uneven 0.765 & 0.845
117609	0.787	20.00	4.236	107.59	2.677	68.00	0.197	5.00	1.140	1.697	Legs Uneven 2.677 & 1.756
37087	0.922	23.42	1.176	29.87	0.688	17.48	0.080	2.03	0.189	0.281	
39491	1.095	27.81	1.176	29.87	0.688	17.48	0.080	2.03	0.218	0.324	
114361	1.100	27.94	1.600	40.64	0.850	21.59	0.100	2.54	0.312	0.464	
111052	1.203	30.56	1.505	38.23	0.949	24.11	0.079	2.00	0.245	0.364	
98977	1.241	31.53	1.969	50.00	0.984	25.00	0.079	2.00	0.296	0.440	
107412	1.309	33.26	1.420	36.07	0.845	21.46	0.079	2.00	0.255	0.379	Legs Uneven 0.845 & 0.496
97296	1.366	34.70	1.968	50.00	0.983	24.98	0.118	3.00	0.482	0.717	
64695	1.440	36.58	1.620	41.15	1.000	25.40	0.080	2.03	0.246	0.366	Legs Uneven 1.0 & 0.70
41284	1.447	36.75	1.374	34.90	0.687	17.45	0.062	1.57	0.202	0.301	
134815	1.661	42.20	2.598	66.00	1.890	48.00	0.118	3.00	0.583	0.868	Legs Uneven 1.890 & 0.827
92623	1.713	43.51	1.142	29.01	0.709	18.00	0.079	2.00	0.262	0.390	Legs Uneven 0.709 & 0.433
117027	1.844	46.85	2.973	75.52	2.225	56.52	0.071	1.80	0.398	0.593	Legs Uneven 2.225 & 0.819
61774	2.000	50.80	2.049	52.04	1.000	25.40	0.076	1.93	0.405	0.603	Legs Uneven 1.0 & 1.25
92624	2.717	69.01	1.142	29.01	0.709	18.00	0.079	2.00	0.358	0.532	Legs Uneven 0.709 & 0.433
138863	4.193	106.50	1.291	32.79	0.701	17.80	0.118	3.00	0.758	1.128	Legs Uneven 0.701 & 0.709
96830	5.378	136.60	1.181	30.00	0.906	23.00	0.118	3.00	0.913	1.359	Legs Uneven 0.906 & 0.394
		0.00		0.00		0.00		0.00		0.000	



Standard Shapes Z-Bar

Design approval is required before material can be ordered.


Capco#	Dim. A		Dim. B		Dim. C		Wall		Wt/Ft.	Kg/M	Remarks
	English	Metric	English	Metric	English	Metric	English	Metric			
		0.00		0.00		0.00		0.00		0.000	



Standard Shapes h Channel

Design approval is required before material can be ordered.


Capco#	Dim. A		Dim. B		Dim. C		Wall		Wt/Ft.	Kg/M	Remarks
	English	Metric	English	Metric	English	Metric	English	Metric			
111584	0.861	21.87	0.510	12.95	1.654	42.00	0.065	1.65	0.233	0.347	
93729	1.050	26.67	0.450	11.43	0.830	21.08	0.050	1.27	0.139	0.207	
94727	1.050	26.67	0.449	11.41	1.100	27.94	0.050	1.27	0.155	0.231	
56642	1.072	27.23	0.403	10.24	0.233	5.92	0.060	1.52	0.121	0.180	"A" Serrated on Outside
55161	1.199	30.45	0.468	11.89	0.732	18.59	0.093	2.36	0.236	0.351	Walls uneven .093 & .062
55161	1.199	30.45	0.468	11.89	0.732	18.59	0.062	1.57	0.236	0.351	
101665	1.281	32.54	0.684	17.38	1.709	43.40	0.059	1.50	0.257	0.383	
76461	1.281	32.54	0.685	17.40	1.750	44.45	0.060	1.52	0.267	0.397	
89691	1.281	32.54	0.684	17.38	1.654	42.00	0.059	1.50	0.255	0.380	"C" Inside Center Serrated See print
94807	1.350	34.29	0.809	20.55	0.900	22.86	0.059	1.50	0.216	0.321	
39493	1.406	35.70	0.626	15.90	1.685	42.80	0.059	1.50	0.274	0.408	Uneven legs with ends at 30 degrees See print
126320	1.555	39.50	0.807	20.50	0.776	19.70	0.059	1.50	0.222	0.331	
148712	1.569	39.86	0.684	17.38	1.653	42.00	0.059	1.50	0.276	0.410	
75565	1.693	43.00	0.807	20.50	0.965	24.51	0.059	1.50	0.244	0.363	
101921	1.700	43.18	0.809	20.55	1.006	25.56	0.059	1.50	0.247	0.368	
68117	1.700	43.18	0.810	20.57	0.900	22.86	0.060	1.52	0.239	0.356	
121735	1.850	47.00	0.787	20.00	0.827	21.00	0.070	1.78	0.292	0.434	
122614	1.850	47.00	0.857	21.78	0.945	24.00	0.070	1.78	0.307	0.457	
130864	1.927	48.95	1.000	25.40	1.280	32.51	0.125	3.18	0.630	0.937	
77270	2.087	53.01	0.807	20.50	0.906	23.01	0.059	1.50	0.263	0.392	
96342	4.055	103.00	1.306	33.18	2.914	74.02	0.125	3.18	1.242	1.848	
		0.00		0.00		0.00		0.00		0.000	
		0.00		0.00		0.00		0.00		0.000	
		0.00		0.00		0.00		0.00		0.000	
		0.00		0.00		0.00		0.00		0.000	
		0.00		0.00		0.00		0.00		0.000	



Standard Shapes Double H Channel

Design approval is required before material can be ordered.


Capco#	Dim. A		Dim. B		Dim. C		Wall		Wt/Ft.	Kg/M	Remarks
	English	Metric	English	Metric	English	Metric	English	Metric			
141398	0.575	14.61	0.333	8.46	1.140	28.95	0.090	2.29	0.249	0.370	
95863	1.000	25.40	0.437	11.10	0.902	22.91	0.126	3.20	0.477	0.710	
81344	1.059	26.90	0.559	14.20	0.500	12.70	0.059	1.50	0.181	0.270	
136600	1.500	38.10	0.835	21.21	1.205	30.61	0.085	2.16	0.428	0.637	
92493	1.559	39.60	0.900	22.85	3.071	78.00	0.059	1.50	0.440	0.654	
99753	1.693	43.00	0.906	23.00	0.789	20.05	0.118	3.00	0.585	0.871	
95677	1.811	46.00	0.787	20.00	1.772	45.00	0.118	3.00	0.758	1.128	
129892	1.956	49.68	1.018	25.86	1.187	30.15	0.080	2.03	0.487	0.725	
89021	1.969	50.00	1.012	25.70	1.030	26.16	0.059	1.50	0.352	0.524	
124746	2.000	50.80	1.050	26.67	3.550	90.17	0.100	2.54	0.920	1.369	
168860	2.000	50.80	1.100	27.94	3.325	84.46	0.100	2.54	0.839	1.248	
77248	2.008	51.00	0.591	15.00	2.268	57.60	0.079	2.00	0.544	0.809	
47021	2.188	55.58	1.188	30.18	8.812	223.82	0.188	4.78	2.933	4.364	
79534	2.638	67.01	0.591	15.00	2.268	57.60	0.079	2.00	0.659	0.980	
122446	2.750	69.85	1.375	34.93	3.500	88.90	*	*	2.314	3.443	see print
		0.00		0.00		0.00		0.00		0.000	
		0.00		0.00		0.00		0.00		0.000	



Standard Shapes

Hat

Capco#	Dim. A		Dim. B		Dim. C		Dim. D		Wall		Wt/Ft.	Kg/M	Remarks
	English	Metric	English	Metric	English	Metric	English	Metric	English	Metric			
72700	0.126	3.20	0.787	20.00	0.551	14.00	1.181	30.00	0.059	1.50	0.065	0.096	
98841	0.289	7.35	2.165	55.00	0.984	25.00	0.512	13.00	0.079	2.00	0.244	0.363	
47357	0.420	10.67	1.500	38.10	0.422	10.72	0.460	11.68	0.079	2.01	0.206	0.307	
125686	0.750	19.06	3.000	76.20	1.750	44.44	0.500	12.70	0.125	3.18	0.639	0.951	
161014	0.826	21.00	3.000	76.00	0.394	10.00	1.300	33.00	0.079	2.00	0.435	0.648	
86181	0.945	24.00	1.969	50.00	0.866	22.00	0.492	12.50	0.059	1.50	0.242	0.360	
68475	1.000	25.40	4.750	120.65	1.750	44.45	1.375	34.93	0.125	3.18	0.904	1.345	
121238	1.240	31.50	1.700	43.18	0.950	24.13	0.225	5.72	0.150	3.81	0.698	1.039	
130973	1.240	31.50	2.450	62.23	0.950	24.13	0.600	15.24	0.150	3.81	0.746	1.110	
95864	1.260	32.00	4.354	110.60	2.638	67.00	0.858	21.80	0.126	3.20	0.949	1.412	
142544	1.496	38.00	5.039	127.99	3.071	78.00	0.984	24.99	0.157	3.99	1.433	2.132	
96349	2.335	59.30	4.047	102.80	2.591	65.80	0.728	18.50	0.256	6.50	2.522	3.752	
101569	2.382	60.50	4.725	120.00	2.756	70.00	0.984	25.00	0.256	6.50	2.759	4.105	
		0.00		0.00		0.00		0.00		0.00		0.000	
		0.00		0.00		0.00		0.00		0.00		0.000	
		0.00		0.00		0.00		0.00		0.00		0.000	



Standard Shapes T

Capco#	Dim. A		Dim. B		Wall		Wt/Ft.	Kg/M	Remarks
	English	Metric	English	Metric	English	Metric			
80691	0.571	14.50	0.866	22.00	0.059	1.50	0.099	0.147	
115402	0.984	25.00	1.299	33.00	0.110	2.80	0.283	0.421	Uneven see print
69915	1.000	25.40	1.000	25.40	0.125	3.18	0.281	0.418	
111831	1.000	25.40	1.750	44.45	0.250	6.35	0.735	1.094	Uneven see print
119562	1.004	25.50	0.709	18.00	0.118	3.00	0.226	0.336	Uneven see print
62336	1.100	27.94	1.250	31.75	0.050	1.27	0.134	0.199	
96742	1.591	40.40	1.614	41.00	0.126	3.20	0.466	0.693	
158124	2.000	50.80	1.126	28.60	0.250	6.35	0.869	1.293	
103358	2.719	69.06	2.750	69.85	0.125	3.18	0.991	1.475	Wall Uneven see print
95722	4.000	101.60	8.000	203.20	0.375	9.53	4.582	6.818	
		0.00		0.00		0.00		0.000	
		0.00		0.00		0.00		0.000	
		0.00		0.00		0.00		0.000	
		0.00		0.00		0.00		0.000	